

***Brancucciana Ahmad et Zaidi, 1986 is the valid name for  
Ascopocoris Stehlík et Kerzhner, 1999  
(Heteroptera: Pyrrhocoridae)***

JAROSLAV L. STEHLÍK

*Moravian Museum, Department of Entomology, Hviezdoslavova 29a, 627 00 Brno-Slatina, Czech Republic*

STEHLÍK J. L. 2007: *Brancucciana Ahmad et Zaidi, 1986 is the valid name for Ascopocoris Stehlík et Kerzhner, 1999 (Pyrrhocoridae, Heteroptera)*. *Acta Musei Moraviae, Scientiae biologicae* (Brno) **92**: 109–110. – *Brancucciana Ahmad et Zaidi, 1986* is the oldest available for preoccupied *Ascopus* Hsiao, 1964, having priority over *Ascopocoris* Stehlík et Kerzhner, 1999. The following new combinations are established: *Brancucciana (Brancucciana) gestroi* (Distant, 1964) comb.nov., *B. (B.) constanti* (Stehlík et Jindra, 2006) comb.nov., *B. (B.) rufa* (Hsiao, 1964) comb.nov., *B. (B.) sinuaticollis* (Liu, 1987) comb.nov., and *B. (Rubriascopus) pygmaea* (Distant, 1903) comb.nov.

**Key words.** Heteroptera, Pyrrhocoridae, *Ascopus*, *Ascopocoris*, *Brancucciana*, nomenclature

HSIAO (1964) described the genus *Ascopus*. As this name is preoccupied, STEHLÍK & KERZHNER (1999) proposed *Ascopocoris* as a new replacement name for this genus. Recently, STEHLÍK & JINDRA (2006), in the course of revising the genus found that *Brancucciana Ahmad et Zaidi, 1986* is identical with the genus originally described by HSIAO (1964), but unfortunately failed to draw the necessary conclusion regarding the nomenclatural consequences. In fact, the name *Brancucciana*, the oldest available synonym of *Ascopus*, has priority above *Ascopocoris*. The resulting nomenclatural changes are summarized below:

**Genus *Brancucciana Ahmad et Zaidi, 1986***

*Ascopus* Hsiao, 1964 (preoccupied)  
*Ascopocoris* Stehlík et Kerzhner, 1999 (nom.nov. for *Ascopus*) **syn.nov.**

**New combinations:**

- Brancucciana (Brancucciana) bhutanensis* Ahmad et Zaidi, 1986 (type species)  
*Brancucciana (Brancucciana) gestroi* (Distant, 1964), **comb.nov.**  
*Brancucciana (Brancucciana) constanti* (Stehlík et Jindra, 2006), **comb.nov.**  
*Brancucciana (Brancucciana) rufa* (Hsiao, 1964), **comb.nov.**  
*Brancucciana (Brancucciana) sinuaticollis* (Liu, 1987), **comb.nov.**

**Subgenus *Rubriascopus* Stehlík et Jindra, 2006**

**New combination:**

- Brancucciana (Rubriascopus) pygmaea* (Distant, 1903) **comb.nov.**

### References

- AHMAD I. & ZAIDI R. H. 1986: A new genus and a new species of Pyrrhocoridae (Hemiptera: Pyrrhocoroidea) from Bhutan and their relationship. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* **59**: 423–426.
- HSIAO T.Y. 1964: Results of the Zoological-Botanical Expedition to southwest China 1955–1957 (Hemiptera: Pyrrhocoridae and Largidae). *Acta Entomologica Sinica* **13**: 401–406 (in Chinese, English summary).
- STEHLIK J. L. & JINDRA Z. 2006: A revision of the genus *Ascopocoris* Stehlík et Kerzhner, 1999 (Pyrrhocoridae, Heteroptera). *Acta Musei Moraviae, Scientiae biologicae* (Brno) **91**: 61–68.
- STEHLIK J. L. & KERZHNER I. M. 1999: On taxonomy and distribution of some Palaearctic and Oriental Largidae and Pyrrhocoridae. *Zoosystematica Rossica* **8**: 121–128.